



SIS 10080 - QoF v20

What's New (30/11/11)

SIS10080 contains **V20 QMAS Reporting audits and Data Quality audits**, version 20005 dated 05/10/11.

Business Rules v20 audits contain different age criteria specified for Cytology, so there is a version of the audit for England and Northern Ireland, Wales and Scotland which will automatically be imported depending on your country flag in Vision.

These audits will report to QMAS and will update the old v18 QMAS reporting audits AND delete any v19 or v20 interim audits you may have downloaded from the website.

Other changes include the following:

AF

- Indicator AF 4: The percentage of patients with atrial fibrillation diagnosed from 1st April 2008 with ECG or specialist confirmed diagnosis

has been amended to:

Indicator AF4: The percentage of patients with atrial fibrillation diagnosed after 1 April 2008 with ECG or specialist confirmed diagnosis.

Asthma

- **Asthma Register:**
 - Asthma related drugs - changed to the following therapy Read codes: c1... - c15z. , c19.. , c1B.. - c1EE. , c1b.. , c2... , c24.. , c3... , c4... , c44.. , c5... , c6... , c7... , cA...
 - Removed all exclusion codes and register is only Read code H33..
- **Asthma08:**
 - PEFr (Peak Flow) rate additional code: 33950 Diurnal variation of PEFr
 - Spirometry additional code: 745D4 Post bronchodilator spirometry

Cancer

- Indicator CANCER 3: The percentage of patients with cancer, diagnosed within the preceding 18 months, who have a patient review recorded as occurring at 6 months after the practice has received confirmation of the diagnosis.

has been amended to

Indicator CANCER 3: The percentage of patients with cancer, diagnosed within the preceding 18 months, who have a patient review



recorded as occurring within 6 months of the practice receiving confirmation of the diagnosis

- New code already included within Cancer register B34.. -B6z0.: B627E Diffuse large B-cell lymphoma

CHD

- **CHD02 was replaced with CHD13.** The rules now stipulate that the exercise testing and exercise testing declined would be completely removed. The indicator only searches for the following specialist referral codes: 8H44. , 8H4R. , 8HTJ. ,8HVJ.
- **CHD5** and 7 indicators were retired and have been completely removed.
- CHD11 has been replaced by **CHD14** with several new Read code clusters introduced:
 - Myocardial Infarction exception codes: 9hM.. , 9hM0. ,9hM1.
 - Statin therapy codes: bxi..% , bxg..% , bxe..% , bxx..% , bxd..% , 8B3z.
 - Statin expiring exception codes: 8BL1. , 8I3C. , 8I27. , 8I63. , 8I76.
 - Statin persistent exception codes: U60CA , TJC24 , TJC25
 - Combined Salicylate/OTC salicylate prescription codes – Salicylate bu2..% , di1..% , j11..% ,blm..% ,bu4..% ,bu2..% ,di1..% , j11..% ,blm..% ,bu4..% ,bu2..% ,di1..% , j11..% ,blm..% , bu4..% . OTC salicylate - 67I8. , 8B63. , 8B3T. , 8B6P.
 - Salicylate persistent exception codes: 14LK. ,ZV148 ,U6051 ,TJ53.
 - Salicylate expiring exception codes: 8I24. ,8I38. ,8I66. ,8I70.
 - Clopidogrel expiring exception codes: 8I2K. ,8I3R. ,8I6B. , 8I72.
 - Clopidogrel persistent exception codes: 14LQ. ,U6048 ,ZV14B
 - Beta Blocker expiring exception codes: 8I26. 8I2g. - 8I2i. 8I36. 8IAS. - 8IAV. 8I62. 8I6i. - 8I6k. 8I73. ,8I7K. - 8I7M.
 - Beta Blocker persistent exception codes:14LL. , TJC6.% , U60B7 , U60B9 - U60BB , ZVu6i, ZVu6o, ZVu6q, ZV14C
 - ACE inhibitor expiring exception codes: 8I28. , 8I3D. , 8I64. ,8I74.
 - ACE inhibitor persistent exception codes:14LM. , U60C4 , TJC77 – TJC79 , ZV14D
 - AII antagonist expiring exception codes: 8I28. , 8I3D. , 8I64. , 8I74.
 - AII antagonist persistent exceptions codes: 14LN. , U60CB , ZV14E
 - A2 therapy: additional drug Read code: bkC..
 - Myocardial infarction additional Read code: Gyu36
- In **ALL indicators with influenza immunisations** – The Read code cluster has been changed to remove the Pandemic Flu immunisation codes and so is: drug codes n47% (excluding n47A. and n47B.) , Read Codes 65E – 65E4 , ZV048



- **CHD12:** Influenza vaccination code cluster changed to n47.. (excluding n47A. , n47B.) 65E.. – 65E4. , ZV048

CKD

- **CKD05:** A2 therapy: drug Read code added to cluster - bkC..

COPD

- **COPD01** has been renumbered to COPD14
- **COPD08:** Flu code cluster changed to n47.. (excluding n47A. , n47B.) 65E.. – 65E4. , ZV048
- **COPD10:** FEV additional code: 33901 FEV1/vital capacity ratio
- **COPD12** has been renumbered to **COPD15**. The date for diagnosis date for COPD has been moved from the 1 April 2008 to 1 April 2011.
- **COPD12:** The ONLY spirometry codes acceptable is 8HRC and 745D4.
- **COPD13:** COPD Review additional Read codes: 66YB0 COPD 3 monthly review and 66YB1 COPD 6 monthly review

CVD PP

- **PP00:** Stroke diagnosis code excludes from the register G669. Cerebral palsy, not congenital or infantile, acute .

Cytology

- **CS01** exception 1: Hysterectomy code added: 26L3. Uterine cervix absent
- Read code ZV6G8 has been removed from hysterectomy

Note - Age ranges for England and NI 25-64 years, Scotland 20-60 years , Wales 20-64 years. In the v20 audits the country flag on your system should control which audit you import.

Dementia

- **DEM03** indicator introduced for Patients with New Diagnosis of Dementia who require to have recorded a FULL set of Read code clusters:
 - Full blood count test: 423.. , 426.. , 42A.. , 42H..
 - Calcium test recording: 44h4. , 44I8. , 44h7. , 44IE. , 44ID. , 44IC. , 44h9. , 44hD.
 - Glucose test recording: 44TM. , 44f..% , 44g..% , 44T1. - 44T3. , 44TA. , 44TE. - 44TK. , 44U..% Excluding 44Uz.) , 44V.. – 44V3. , 44V6. , R102. , R10D , R1057
 - Renal test recording: 44J9. , 44JA. , 44J3. , 44JF. , 44JC. , 44JD.
 - Liver test recording: 44FA. , 44FD. , 44G7. , 44G9. , 44GB. 44F3.



- 44FH., 44CU., 44G4., 44GA.,
- Thyroid Function test for dementia screening: 442W. , 442X., 442A.
- Vitamin B12 level tests: 42T.. , 44Le.
- Folate level tests: 42U5 , 42UE.

Depression

- DEP 1: The percentage of patients with diabetes and/or heart disease for whom case finding for depression has been undertaken on one occasion during the preceding 15 months using **the** two standard screening questions.

Amended to

DEP 1: The percentage of patients on the diabetes register and/or the CHD register for whom case finding for depression has been undertaken on one occasion during the preceding 15 months using two standard screening questions

- DEP02 replaced by **DEP04**
- DEP03 replaced by **DEP05** with further assessment of severity done between **4 – 12** weeks after the initial assessment of severity

Diabetes

- **DM05** indicator retired and has been removed
- DM23 replaced by **DM26** and the value has changed to HbA1c = 7.5% or less and the IFCC-HbA1c = 59mmol/mol or less.
- DM24 replaced by **DM27** and the value has changed to HbA1c = 8% or less and the IFCC-HbA1c = 64mmol/mol or less.
- DM25 replaced by **DM28** and the value has changed to HbA1c = 9% or less and the IFCC-HbA1c = 75mmol/mol or less.
- DM9 replaced by **DM29** with several new Read code clusters:
- Neuropathy testing exception codes: 8I3W. , 8I6G. , 8IAo. , 8IB5.
- Foot examination exception codes: 8I6G. , 8I3W. , 8IAo. , 8IB6.
- Foot risk classification codes: 2G5E. , 2G5F. , 2G5G. , 2G5H. , 2G5I. , 2G5J. , 2G5K. , 2G5L.
- Right foot amputation codes: 2G42. , 2G44. , 2G46.
- Left foot amputation codes: 2G43. , 2G45. , 2G47.
- **DM10** new exclusion codes for amputation of BOTH feet – Read codes as DM9 amputation codes.
- **DM11** indicator retired and has been removed.
- **DM12** replaced by DM30 & DM31 and the BP values have changed to 150/90 or less and to 140/80 or less
- **DM15**: A2 therapy additional drug Read code: bkC..
- **DM16** indicator retired and has been removed



- **DM18** Influenza vaccination code cluster changed to n47.. (excluding n47A. , n47B.) 65E.. – 65E4. , ZV048

Epilepsy

- **Epilep07** indicator retired and has been removed.
- **Epilep09** new indicator with several new Read code clusters:
 - Only for female patients under 55 years.
 - Contraceptive counselling codes: 6110.
 - Pre-conception advice codes: 67Ij0
 - Pregnancy advice codes: 67AF.
 - Contraceptive counselling inappropriate or declined exception codes: 8IAg. , 8IB2.
 - Pre-conception advice inappropriate or declined exception codes: 8IAh. , 8IB3.
 - Pregnancy advice inappropriate or declined exception codes: 8IAi. , 8IB4.
 - Hysterectomy and equivalent codes: 685H. , 685I. , 685K. , 9O8Y. , 7E05.% , 7E040 , 7E042 , 7E043 , 7E046 , E049 , 7E04B , 7E04G , 7L0A.% , 26L3.
 - Sterilisation codes: 7E10.% , 7E111 , 7E113 , 7E115 , 7E15.% , 7E160 , 7E162 , 7E1C. , 7E1D0 , 159A. , ZV25x , ZV252, 7E1C3

HF

- **HF02**: Echocardiography additional code: 8H7o0 Fast track HF referral for transthoracic 2D echocardiogram
- **HF03** & 04: A2 therapy additional drug Read code: bkC..

Mental Health

- **MH14**: HDL:Total Cholesterol additional code:
 - 44PF. Total cholesterol:HDL ratio
 - 44I2. Cholesterol/HLD ratio
 - 44IF. Serum cholesterol/HDL ratio
 - 44IG. Plasma cholesterol/HDL ratio
- Following code removed from HDL cholesterol cluster: 44PG.
- **MH16** exception 5: Hysterectomy code added: 26L3. Uterine cervix absent
- Read code ZV6G8 has been removed from hysterectomy
- New codes for Alcohol consumption included within 136..% hierachy
 - 136a. Increasing risk drinking
 - 136c. Higher risk drinking
 - 136d. Lower risk drinking



Palliative care

- **PC 3:** The practice has a complete register of all patients in need of palliative/supportive care irrespective of age.

Has been amended to

Indicator PC 3: The practice has a complete register available of all patients in need of palliative care/support irrespective of age.

Records

- **Records21**, indicator now retired.

Sexual Health

- Sexual Health Register: IUCD additional code: 61511 Insertion of T-shaped 375mm² copper coat IUCD
- IUS register additional code: 61R.. IUS contraception
- Contraceptive implant additional code: 9kr.. Subdermal etonogestrel implant insertion ESA
- **SH03:** Changes to the criteria of the rules. Patients could be given LARC advice within one month of the emergency hormonal contraception OR they could give LARC Verbal AND LARC written advice. Both verbal and written advice should be done together.
- Long Acting reversible contraceptive advice additional codes:
- 679K2 Education for intrauterine system
- LARC Written: 8CAw2 Written advice about LARC
- LARC Verbal: 8CAw1 Verbal advice about LARC

Please be aware that long acting contraceptive advice should be both written and verbal. If 679K2 Education for intrauterine system is recorded, then this indicates that both verbal and written advice were given. 8CAw1 Verbal advice about LARC refers to *verbal advice only* and 8CAw2 Written advice about LARC refers to *written advice only*, so both codes must be present to indicate both forms of advice have been given.



Smoking

- **Smoking register:** Stroke diagnosis code excluded from the register: G669. Cerebral palsy, not congenital or infantile, acute
- **Asthma Register:** Asthma related drugs changed to the following therapy
Read codes: c1... - c15z. , c19.. , c1B.. - c1EE. , c1b.. , c2... , c24.. , c3... , c4... , c44.. , c5... , c6... , c7... , cA...
- **Smoke04:** Smoking Cessation Advice additional code: 9NS02 Referral for smoking cessation service offered
- **Smoke04:** Smoking Cessation Advice EXCLUDED from code list:
 - 13p8. Lost to smoking cessation follow-up
 - 13p7. Smoking status at 12 weeks

Stroke

- **Stroke Register:** Stroke diagnosis code excludes from the register: G669. Cerebral palsy, not congenital or infantile, acute
- **Stroke10:** Influenza vaccination code cluster changed to n47.. (excluding n47A., n47B.), 65E.. - 65E4. , ZV048
- **Stroke12:** Stroke – non-haemorrhagic additional codes:
 - G665. Pure motor lacunar syndrome
 - G666. Pure sensory lacunar syndrome
 - Gyu63 [X]Cerebral infarction due/unspef occlusion or sten cerebral artr
 - Gyu64 [X]Other cerebral infarction
 - Gyu65 [X]Occlusion and stenosis of other precerebral arteries
 - Gyu66 [X]Occlusion and stenosis of other cerebral arteries
 - Gyu6G [X]Cerebral infarction due unsp occlusion/stenos pre cerebr arteries